

01263.001878.



*cofe*  
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:

ALEXANDRE PERCIVAL DODGE

Appln. No.: 09/983,039

Filed: October 22, 2001

For: IMAGE PROCESSING APPARATUS

U.S. Patent No.: 6,912,490 B2

Issued: June 28, 2005

)  
: Examiner: A.W. Paladini

)  
: Group Art Unit: 2125

)

:

)

:

)

:

)

:

)

February 27, 2006

Certificate  
MAR 02 2006  
of Correction

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION  
UNDER RULE 322


Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes. A Certificate of Correction form, in duplicate, is enclosed.

MAR 03 2006

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



Jennifer A. Reda  
Attorney for Patentee  
Registration No. 57,840

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
Facsimile: (212) 218-2200

NY\_Main 539798v1

MAR 8 2000

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,912,490 B2

DATED : June 28, 2005

INVENTOR(S) : ALEXANDRE PERCIVAL DODGE

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE [56] REFERENCES CITED:

Foreign Patent Documents, insert:

--GB 2 325 996 A 12/98  
EP 0 790 584 A2 08/97  
EP 0 794 517 A2 09/97  
EP 0 794 516 A2 09/97  
EP 0 930 583 A1 07/99--.

ON THE TITLE PAGE [75]:

Inventor, "Alexandre Percival Dodge, Berkshire, (GB)" should read  
--Alexandre Percival Dodge, Bracknell, (GB)--.

COLUMN 28:

Line 39, "pattern" should be deleted; and  
Line 40, "in the images with stored data defining the calibration" should be deleted.

COLUMN 29:

Line 53, "dependence" should read --dependence upon the stored calibration pattern and in dependence--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,912,490 B2

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,912,490 B2

DATED : June 28, 2005

INVENTOR(S) : ALEXANDRE PERCIVAL DODGE

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 30:

Line 60, "image" should read --image in--.

COLUMN 32:

Line 16, "generationing" should read --generating--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,912,490 B2

No. of add'l. copies  
@ 30¢ per page



MAR 6 2006

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,912,490 B2

DATED : June 28, 2005

INVENTOR(S) : ALEXANDRE PERCIVAL DODGE

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE [56] REFERENCES CITED:

Foreign Patent Documents, insert:

--GB 2 325 996 A 12/98  
EP 0 790 584 A2 08/97  
EP 0 794 517 A2 09/97  
EP 0 794 516 A2 09/97  
EP 0 930 583 A1 07/99--.

ON THE TITLE PAGE [75]:

Inventor, "Alexandre Percival Dodge, Berkshire, (GB)" should read  
--Alexandre Percival Dodge, Bracknell, (GB)--.

COLUMN 28:

Line 39, "pattern" should be deleted; and  
Line 40, "in the images with stored data defining the calibration" should be deleted.

COLUMN 29:

Line 53, "dependence" should read --dependence upon the stored calibration pattern and in dependence--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,912,490 B2

No. of add'l. copies  
@ 30¢ per page

M/D  
→

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,912,490 B2

DATED : June 28, 2005

INVENTOR(S) : ALEXANDRE PERCIVAL DODGE

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 30:

Line 60, "image" should read --image in--.

COLUMN 32:

Line 16, "generationing" should read --generating--.

MAILING ADDRESS OF SENDER:


FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,912,490 B2

No. of add'l. copies  
@ 30¢ per page



MAR



01263.001878.



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:	)	
ALEXANDRE PERCIVAL DODGE	)	Examiner: A.W. Paladini
Appln. No.: 09/983,039	)	Group Art Unit: 2125
Filed: October 22, 2001	)	
For: IMAGE PROCESSING APPARATUS	)	
U.S. Patent No.: 6,912,490 B2	)	
Issued: June 28, 2005	)	February 27, 2006

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-mentioned patent:

ON THE TITLE PAGE [56] REFERENCES CITED:

Other Publications, after "Wolfgang Niem, Jochin Wingbermhle,":  
" Automatic" should read --"Automatic"--; and  
"IEE Proceedings," should read --IEEE Proceedings,--.

COLUMN 1:

Line 21, "suffers" should read --suffer--.

COLUMN 5:

Line 8, "Gortler et al" should read --Gortler et al.--, and  
Line 49, "Gortler et al" should read --Gortler et al.--.


COLUMN 8:

Line 64, "to" should read --from--.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



Jennifer A. Reda  
Attorney for Patentee  
Registration No. 57,840

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
Facsimile: (212) 218-2200